USB Firmware Upgrade

1. Double-click "dfuse_demo_v3.X.X_setup.exe" to install the software. After the installation is completed, open the installation path, select and install the corresponding USB driver of STM32 according to the computer system, and various driver paths are shown in the following figure:

<mark> </mark>	查看				-	□ × ^ 3
★ ■定到快 速访问 量 5制 前 以 第 切 数 町 町 町 町 町 町 町 町 町 町 町 町 町	■ 复制路径 記 粘贴快速方式 移动到 复新		● 新建项目 ▼ 1 经松访问 ▼ 対理 新建 新建	 ■ 打开・ ■ 打开・ > 编辑 ● 历史记录 打开 	 全部选择 全部取消 反向选择 洗择 	
← → ~ ↑ 📙 🔀	5;\STMicroelectronics\Softwar	e\DfuSe v3.0.6\Bin\Dr	iver v Ö	搜索"Driver"		
 此电题 Program_Tools proj USB_Update_Fi 现代単片机 OneDrive WPS网盘 此电脑 3 D 对象 图片 文档 下號 音乐 桌面 本地磁盘 (C.) 新加塔 (C.) 新加塔 (C.) 新加塔 (C.) 	各称 Win7 Win8 Win8.1 Win10 ☐ version.txt	博 20 20 20 20	R文日期 2021/4/29 16:36 2021/4/29 16:36 2021/4/29 16:36 2021/4/29 16:36 2018/6/10 23:53	类型; 文件疾 文/件疾 文/件疾 文/中决 文本文档	大小 4 KB	
₩₩ ¥ 5 个项目						

2. Connect the WS80 Device with the computer with USB cable, and gently press the reset button to restart the Device. The blue LED light flashes, and check whether STM32 Device is recognized in the Device manager of the computer, and "STM Device in DFU Mode" shows that the driver is normal.







3.Open the installation path, double-click "DfuSeDemo.exe" to open the software;

<mark>-]</mark> - Bin 文件 主页	n 共享 查看					
★ ■定到快 复制 粘 速访问 よ	▲ 复制路径 ● 粘贴快捷方式 覧切	核动到 复制到 删除 重	 ▲ ▲	▲ 目 打开 · 目 打开 · 目 打开 · 目 打开 · 目 指示 · 目 「 」 編辑 · 目 · 目 · 目 · 目 · 目 · 目 · 目 · 目 · 目 ·	 全部选择 全部取消 一 反向选择 	
剪	贴板	组织	新建	打开	选择	
← → ~ ↑ 🚺	n Files (x86 \STMicro	electronics\Software\DfuSe	v3.0.6∖Bin v Č	搜索"Bin"		
💷 此电脑	* ^ 名称	<u>^</u>	修改日期	类型	大小	
Program To						
proi	Doc		2021/4/29 16:36	文件夹		
	Driver		2021/4/29 16:36	又件夹		
			2021/4/29 16:36	又件夹	10 1/12	
现代单方机	DfuFileivi	gr.exe	2018/0/10 23:34	应用程序	49 KB	
🜰 OneDrive	DfuSeDa		2010/0/10 22:24	应用程序	1 001 KP	
	readment	mo.exe	2018/6/11 0:08	应用性质	1,001 KB	
WPSMA	SI A0044	txt	2018/6/10 23:41	文本文档	5 KB	
🔜 此电脑	STDFU d		2018/6/10 21:38		71 KB	
🧊 3D 对象		es.dll	2018/6/10 23:33	应用程序扩展	33 KB	
📓 视频		t.dll	2018/6/10 23:45	应用程序扩展	28 KB	
1 日本	C STDFUTe	ster.exe	2012/9/29 21:17	应用程序	1.446 KB	
	STTubeD	evice30.dll	2018/6/10 21:35	应用程序扩展	1,758 KB	
	version.t	xt	2018/6/10 23:38	文本文档	6 KB	
◆ 下勁 ▶ 来一						
「日午						
皇 皇 自						
🏪 本地磁盘 (C:))					
🕳 新加卷 (D:)						
🕳 新加卷 (E:)						
🕳 新加卷 (F:)						
网络 14 个项目	*					<u>]</u>

4.Click the "Choose..."Add .dfu file, then check the "Verify after download" option and click "Upgrade" to Upgrade the firmware.

					D	
6TM Device in DF	U Mode	~	Application	Mode:	DFU Mod	le:
Supports Uploa	🗌 be	Manifestation tolerant	Vendor ID:		Vendor ID	: 0483
Supports Down	nload	Accelerated Upload (ST)	Procuct ID:		Procuct ID): DF11
Can Detach	UID detach	Leave DEL mode	Version:		Version:	0200
chier <u>o</u> no modez	HID UB(auti					
alaat Taraat(a):						
elect <u>T</u> alget(s).	Target Id	Name	Availa	ble Sector	s (Double Click	k for morej
	00	Internal Flash	512 se	ectors		
Upload Action		Upgrade or	Verify Action			
File:		File:				
		Vendor ID:	T	argets in f	file:	
Choose	. <u>U</u> pl	oad Procuct ID:				
Transferred data	size	Version:				
0 KB(0 Bytes) of	0 KB(0 Bytes)					
		Veriry ar Optimize	ter downioad • Upgrade durat	tion (Remo	we some FFs)	
Operation duratio	n	Optimize		aon (nome	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
0						
0	0:00:00	Ch <u>o</u> ose.		Upgrade		⊻enify
0	0:00:00	Choose.		Upgrade		⊻erify
Abort	0:00:00	1		Upgrade		⊻erify Quit
Abort	0:00:00	1		Upgrade		⊻erify Quit
Abort ↑ → 此电脑 → 新建文件关	D:OD:DO 踏 (E) → YDI_Program) WH80 > dfu2(#		Upgrade		⊻enfy Quit ttgr:46c¢#* ≋≅ ▼
Abort	D: 00: 00	<u>المحمة</u> ب ۱۹۹۵ با طبیکرام ۱۹۹۲ ا	т.т.	Upgrade	• 0 P :	⊻erify Quit ≋≋'du¢e* ∦≅ •
▲bort ↑ → 此电脑 → 新建 新建文件来 副片 ★ ↑ 各称 Yeggam_Toolt ● Wisk	0:00:00 0: (c) > Y0)_Program 0: Yee 1.0.0.dfs Ver 1.0.7.dfs	WH80 > db,2/4 #2228/8 #24 #2228/8 #24 2020/07.11542 PFU 2 2020/07.27.311.42 PFU 2	本小 株 35 KB 株 35 KB	Upgrade	v 6 0	⊻enîy Quit ≋≋*4∞24* }∷•
	D: 00: 00 D# (E) > YD)_Program 0. Ver 10.0dfu Ver 10.2dfu Ver 10.2dfu 2. Ver 10.2dfu 2.	 WH80 > dfu2t# WH80 > dfu2t# 2020/0/12 15:92 2020/0/23 15:92 2020/0/23 11:92 2020/0/23 11:92 2020/0/23 2020 2020/0/23 11:92 2020/0/23 2020/0/23 2020/0/23 2020/0/23 2020	大小 年 35-68 年 35-68 年 35-68 年 35-68 年 35-68	Upgrade	• 6 Ø	⊻enfy Quit ≋≋*du¢t+* ∦≅ •
▲bort ◆ ◆ シ 此电話 → 新社 予備之外共 即時 ペイ 名称 中間 ペイ 名称 中間 ペイ 名称 中間 ペイ いい名和 いい名 いい名	D: 00: 00 D: (E) > YD) Program D: (E) > YD) Program D: (J) Program (J) Ver 1.0.6din 2 Ver 1.0.4din 2 Ver 1.0 Ver 1.0	 WH80 + dfu2t/t WH80 + dfu2t/t WH80 + dfu2t/t U2020/12/251142 U202/12/251142 U202/12/251142 U202/12/251142 U202/12/251142 	раниции фактири фактири фактири	Upgrade	v 0 P	Verify Quit ®®® d6x24* ∦≈ •
▲bort ● ◆ 此电脑 → 能力 新建文件失 即用 / ◆ 名称 地路型 小 ● 約 和文件大 158 Uddate, Fi 1988 1988 19988 1998 1998 1998 1998 1998 1998 1998 1998 1998 1998 19	0:00:00 0:ver_10_0.dfu yver_10_7.dfu yver_10_2.dfu yver_10_dfu 2:ver_10_dfu yver_10_dfu	• WH80 • dfu2t# • WH80 • dfu2t# 2020/012 1542 2020/024 1149 2020/124 1149 2020/124 1149 2020/12/13 1142 PFU \$ PFU	大小 件 35 KB 件 35 KB 件 35 KB 件 35 KB 件 35 KB	Upgrade	v 0 P 1	⊻erify Quit ®#*4629+* 8≣ •
	0:00:00 0# (E) > Y0_Program 0.ver_10_2.dls 1.ver_10_2.dls 1.ver_10_4.dls 2.ver_10_4.dls 2.ver_10_4.dls	• WH80 • dfu;\$# 2020/6/12 15:32 2020/6/12 15:32 2020/72/23 11:42 2020/72/23 11:42 2020/72/23 11:42 PU \$\$ 6v	**************************************	Upgrade	v 0 P 1	⊻erify Quit ≋≋*d624* ≋≈ •
	0:00:00 0#(6) > Y0/Program 0.ver.10.246 ver.10.246 ver.10.246 2ve	, WH80 , dfutz(# 2020/0713 11:42 PFU z 2021/12/31 11:42 PFU z	大小 中 35 KB 中 35 KB 中 35 KB 中 35 KB	Upgrade		⊻erify Quit ≋≋*du≎d+* 85 •
▲bort ▲bort ● ◆ → 此电話 → 新行 新行文件夫 型計 ▲ ▲ 谷谷 Wisso Program Tool Wisso Rr(単片町, ● 中の日 中の日 中の日 中の日 中の日 中の日 中の日 中の日	0:00:00 0:0:0	→ WH80 → dfuX(# → WH80 → dfuX(# 2007/07.1 15-2 2007/07.2 15-42 2007/07.2 15-42 2007/07.2 15-42 2007/07.1 15-42 2007/07.1 15-42 2007/07.1 15-42 00.1 2 00.1 2 0 00.1 2 0 0 0 0 0 0 0 0 0 0 0 0 0	大小 株 55 10 10 11 12 12 13 14 15 16 15 16 17 18 18 15 18 17 18 18 18 19 10 10 11 12 13 14 15 15 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18 18 18 18 18	Upgrade	• 0 •	⊻erify Quit ≋≋'du24* 3≅ •
▲bort 参数では 参数では 本 本 本 本 本 本 本 本 本 本 本 本 本	0:00:00 0% (E) > Y0)_Program 0.Ver_1_0.7dis Ver_1_0.7dis Ver_1_0.7dis Ver_1_0.7dis Ver_1_0.7dis Ver_1_0.7dis Ver_1_0.7dis Ver_1_0.7dis	 WH80 > dfu2(# WH80 > dfu2(# 2020/07/23 11:42 2020/07/23 11:42 DFU 2020/07/23 11:42 DFU 2020/07/23 11:42 DFU 2020/07/23 11:42 DFU 2020/07/23 11:42 	件	Upgrade		⊻erify Quit ≋≋rd6/24+* ≋∓ •
▲bort ● ● ● 並电話 → 較多 新建文件失 副片 # ● 名称 ● 小田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田	0:00:00 D# (E) > Y0/Program 	→ WH80 → dfuZ/4 → WH80 → dfuZ/4 2020/1/2/31142 DFU 2 2020/1/2/31142 DFU 2 2020/1/2/31142 DFU 2 2020/1/2/31142 DFU 2 2020/1/2/31142 DFU 2	* 55 KB * 55 KB * 55 KB * 55 KB * 53 KB	Upgrade	v 6 v	⊻erify Quit 8±#rd6x24* 8== •

The latest version is ws80_v1.X.X.dfu

valable DFU Devices STM Device in DFU Mode STM Device in DFU Mode Can Detach	valiable DFU Devices Application Mode: Vendor ID:	
STM Device in DFU Mode Verdor ID: UP Mode Verdor ID: UP Mode Verdor ID: UP Mode Verdor ID: UP Mode ID: (2483 Supports Download Accelerated Upload (ST) Version: Device ID: Version: 0200 Enter DFU mode/HID detach Leave DFU mode Sectors (Double Click for more) 00 Internal Flash S12 sectors Upload Action File: Verdor ID: (2483) Target in file: Verdor ID: (2483) Development Verdor ID: (2483) Procuet ID: (2483) Procuet ID: (2483) Development Verdor ID: (2483) Procuet	STM Device in DFU Mode Accelerated Upload (ST) Procuet ID: [200] Supports Upload Accelerated Upload (ST) Procuet ID: [200] Can Detach Procuet ID: [200] Can Detach Leave DFU mode Version: [200] Select Larget(s) Target Id Name Available Sectors (Double Click for more 00 Internal Flash S12 sectors Upload Action File: Version: [200] Upload Accelerated Upload Guation Remove some FFs) Operation duration Oci 00 [200] Upload Manifestation tolerant Supports Upload Accelerated Upload (ST) Supports Download Accelerated Upload (ST) Can Detach Leave DFU mode Version: [2] Version: [2] Vour device was plugged in DFU mode. So t it is impossible to make sure this file is correct for this device. Continue however ? Upload File: [200] Version: [2] Version: [2] Ver	
Supports Upload Accelerated Upload (ST) Product ID: Pr	Supports Upload Manifestation tolerant Version: Version: Supports Download Accelerated Upload (ST) Procuct ID: Procuct ID: Enter DFU mode/HID detach Leave DFU mode Version: 0200 Select Larget(s) Target Id Name Available Sectors (Double Click for more 000 Upload Action Internal Flash 512 sectors 000 File: WS80, Ver_1_1_0.dfu Version: 000 Upload Action File: WS80, Ver_1_1_0.dfu Version: Transferred data size Version: 0200 ST Operation duration 00.000 Chece 5 Upgrade Operation duration 00.000 Chece 5 Upgrade Verify Operation duration 00:00:00 Chece 5 Upgrade Verify Operation duration 00:00:00 Chece 5 Upgrade Verify Operation duration 00:00:00 Chece	
auguous stormination Accelerated upbad (s1) Procuet ID: <	Buyens uterinada Accelerated upload [s1] Procuct (D: []] Procuct (D: []] Enter DFU mode/HID detach Leave DFU mode Version: [] Q200 Upload Action 00 Internal Flash 512 sectors [] Upload Action File: VS80_Ver_1_1_0.dfu Version: [] [] Procue (D: [] File: VS80_Ver_1_1_0.dfu Version: [] [] Internal Flash 512 sectors []	
Enter DFU mode/HID detach Leave DFU mode Version: U200 ctions 00 Internal Flash 512 sectors Upload Action File: W580. Ver. 1_1.0.dtu File: Upload Taget in file Procuet ID: DF11 00 00.00.00 DF11 00 00.00.00 Chapse 1 00.00.00 Chapse 5	Enter DFU mode/HID detach Leave DFU mode Version: U2UU citions Delated Larget(s) Target Id Name Available Sectors (Double Click for more 00 Upload Action File: Upgrade or Verity Action File: Version: 12 sectors File: Upload Action File: Version: 12 gets in file: Procue ID: 13 00 ST Transferred data size Upgrade or Verity Action Transferred data size Version: 0200 ST Operation duration 00:00:00 Upgrade Upgrade Verity Devices Still Correctly loaded. Upgrade Verity DfuSe Demo (v3.0.6) - Overion: DFU Mode: Variable DFU Devices Still Devices DFU Mode: Verity: Verity: Supports Upload Marifestation tolerant Supports Download Accelerated Upload (ST) Procuet ID: Version: Device: Select I DfuSeDemo Image Still State State Version: Device: Continue however ? Upload Vour device was plugged in DFU mode. So it is impossible to make sure this file is corr	
Decors Select Largel(s): Target Id Name Available Sectors (Double Click for more) 00 Internal Flash S12 sectors <td>Select Larget (a) Select Larget (a) Target Id Name OD Internal Flash S12 sectors Upload Action File: Upgrade or Verify Action File: Upgrade or Verify Action File: Upgrade or Verify Action File: Verify after download Operation duration OD OD</td> <td></td>	Select Larget (a) Select Larget (a) Target Id Name OD Internal Flash S12 sectors Upload Action File: Upgrade or Verify Action File: Upgrade or Verify Action File: Upgrade or Verify Action File: Verify after download Operation duration OD	
Jeneck [adjects] Target Id Name Available Sectors (Double Click for more) 00 Internal Flash 512 sectors Upload Action File: W580, Ver. 1, 1, 0, diu File: Upgrade or Verity Action Target Id File: W580, Ver. 1, 1, 0, diu Targets in file: Upload File: W580, Ver. 1, 1, 0, diu Transferred data size Version: 00000 00:00:00 00:00:00 00:00:00 Depresion duration 00:00:00 00:00:00 Optimize Upgrade duation (Remove some FFs) 00:00:00 Optimize Upgrade duation (Nemove some FFs) 00:00:00 Optimize Upgrade Uptimize Upgrade Supports Download Accelerated Upload (ST) Procuet ID: Start Device is DFU Mode Version: Procuet ID: Start Device is DFU Mode Leave DFU mode Procuet ID: Can Detach Leave DFU mode Version: Procuet ID: Of unde/HD detach Leave DFU mode So it is impossible to make sure this file is correct for this device. Continue however ? Upload File: 6 E(Y) E(W)	Janee Jalgelis Target Id Name Available Sectors (Double Click for more D0 00 Internal Flash 512 sectors Upload Action File: VS80_Ver_1_1_0.dfu File: Verdor ID: 00 00 OKB(0 Bytes) 00 00.00.00 Operation duration 00.00.00 00.00.00 Chgose 5 00.00.00 Chgose 0 00.00.00 Chgose 0 01.00 Manifestation tolerant Supports Upload Supports Upload Accelerated Upload (S1) Procuet ID: Version: Devide Version: 0 0200 Your device was plugged in DFU mode So it is impossible to make sure this file is correct	
Upload Action File: Upload Action File: WS80_Ver_1_1_0.dfu Verdor ID: U433 Targets in file: Procuct ID: DF11 0 ST Transferred data size 0 KB(0 Bytes) of 0 KB(0 Bytes) 0 continue for the file correctly loaded. 2 bort 0 000.00 Chgose 2 Upload File: Correctly loaded 0 continue however ? Upload File: Correctly loaded. 2 verior: 0200 0 continue however ? Upload File: Correctly loaded. 1 Defuse Demo 0 continue however ? Upload File: Correctly loaded. 1 Defuse Demo 0 continue however ? 1 Defuse Demo 1 Defuse Defuse Defuse 1 Defuse Demo 1 Defuse Defuse Defuse 1 Defuse Defuse Defuse 1 Defuse Defuse Defuse 1 Defuse	Upload Action File: Upload Action File: Upload Action File: Upload Action File: Upload File:	re)
Upload Action File: Upload Action File: Upload Action File: Upload Action File: Upload Action File: Upgrade or Verify Action Targets in file: Targets in file: Upgrade of Verify after download Operation duration 00:00:00 Chgose 5 Upgrade duration [Remove some FFs] Upgrade duration [Remove some FFs] Upgrade duration [Remove some FFs] Upgrade duration Mode: Verify File correctly loaded. PFU Mode: Verify Verify Procuet ID: Upgrade duration Mode: Verify Procuet ID: Upgrade duration Mode: Verify Veri	Upload Action File: Upload Action File: Upload File: File: Upload File: Upload File:	
File: File: WS80_Ver_1_1_0.dfu Targets in file: Targets in file: Procuct ID: PTI 0KB(0 Bytes) 0 KB(0 Bytes) Version: 0KB(0 Bytes) 1 Procuct ID: PTI 0peration duration 00:00:00 Procuct ID: Upgrade 0peration duration 00:00:00 Procuct ID: Upgrade Version: 5 Upgrade Verify File correctly loaded. 2bort Quit OFU Mode: Version: 0:00:00 Valiable DFU Devices PTU Mode: Verify Supports Upload Anorifestation tolerant Procuet ID: PTU Mode: Version: Can Detach Leave DFU mode Version: 10:00 Can Detach Leave DFU mode. So it is impossible to make sure this file is correct for this device. Continue however ? Upload File: 6 Etyme Etyme Version: 200 Version: 100 10 Vour device was plugged in DFU mode. So it is impossible to make sure this file is correct for this device. Co	File: WS80_Ver_1_1_0.dfu Phoose Upload Transferred data size 0 0 KB(0 Bytes) of 0 KB(0 Bytes) 4 ✓ Verior: 0200 0 KB(0 Bytes) of 0 KB(0 Bytes) 4 ✓ Verior: 0200 0 KB(0 Bytes) of 0 KB(0 Bytes) 4 ✓ Verior: 0200 0 peration duration 00:00:00 0 peration duration 00:00:00 0 File correctly loaded. Application Mode: ✓ Verior: 0 Upgrade Verior: 0 FU Mode: Verior: 0 F	
Upload Vendor ID: UPlass Targets in file: Transferred data size 0 KB(0 Bytes) 4 Version: 00 ST Operation duration 00:00:00 00:00:00 Choose 5 Upgrade Verify File correctly loaded. @bott Quit Of USe Demo (v3:0.6) - <td< td=""><td>Choose Upload Vendor ID: 0433 Targets in the: Transferred data size 0 ST 00 ST 0 KB(0 Bytes) of 0 KB(0 Bytes) 4 ✓ Veriiv after download 0 ptimize Upgrade duration (Remove some FFs) 0 peration duration 00:00:00 0 Choose 5 Upgrade ¥erify File correctly loaded. Abort Queration Mode: 0FU Mode: Verify OfuSe Demo (v3.0.6) — </td><td></td></td<>	Choose Upload Vendor ID: 0433 Targets in the: Transferred data size 0 ST 00 ST 0 KB(0 Bytes) of 0 KB(0 Bytes) 4 ✓ Veriiv after download 0 ptimize Upgrade duration (Remove some FFs) 0 peration duration 00:00:00 0 Choose 5 Upgrade ¥erify File correctly loaded. Abort Queration Mode: 0FU Mode: Verify OfuSe Demo (v3.0.6) —	
Procuet ID: DF11 UP of the state of	Choose Upload Procuet ID: DF11 DF11 Transferred data size 0 KB(0 Bytes) of 0 KB(0 Bytes) 4 Werity after download Operation duration 00:00:00 Choose 6 Upgrade Verity File correctly loaded. Application Mode: 0:00:00 Procuet ID: Procuet I	
Transferred data size Version: 0200 0 KB(0 Bytes) of 0 KB(0 Bytes) 4 Version: 0200 0 peration duration 00:00:00 Chgose 5 Upgrade Verify File correctly loaded. Abort Quit DFUSE Demo (v3.0.6) OFUSE Demo (v3.0.6) OFU Devices STM Device in DFU Mode: Verdor ID: Verdor ID: Verdor ID: 0483 Supports Upload Manifestation tolerant Supports Download Accelerated Upload (ST) Procuet ID: Procuet ID: Procuet ID: Procuet ID: DFII Charles Deumo de/HID detach Leave DFU mode Version: 0200 Colspan="2">Other DFU mode: So it is impossible to make sure this file is correct for this device. Continue however ? Upload File G E(Y)	Transferred data size Version: 0200 0 KB(0 Bytes) of 0 KB(0 Bytes) 4 Wersion: 0200 0 peration duration 00:00:00 Chgose 5 Upgrade Verify File correctly loaded. Abort DFuse Demo (v3.0.6) OFU Devices STM Device in DFU Mode: Supports Upload Anarifestation tolerant Procuet ID: Procuet ID: Procuet ID: Supports Download Accelerated Upload (ST) Procuet ID: Procuet ID: </td <td></td>	
0 KB(0 Bytes) of 0 KB(0 Bytes) 4 Yerrity after download Operation duration 00:00:00 Chgose 5 Upgrade Yerrity File correctly loaded. Abort Quit Druse in DFU mode. Supports Upload Manifestation tolerant Application Mode: DFU Mode: Vendor ID: Vendor ID: 0483 Supports Upload Manifestation tolerant Supports Download Accelerated Upload (ST) Procuet ID: Procuet ID: DFU Mode: Char Detach Leave DFU mode Version: 0200 Version: 0200 So it is impossible to make sure this file is correct for this device. Continue however ? Upload Preside Etcy Etcy Etcy File: 6 Etcy Etcy Etcy Etcy Optimize Upgrade duration (Remove some FFs) Optimize Upgrade duration (Remove some FFs) Optimize Upgrade Version: Deviny after download Optimize Upgrade Optimize Upgrade duration (Remove some FFs) Optimize Upgrade Version: Deviny after download Operation duration 00:0	0 KB(0 Bytes) of 0 KB(0 Bytes) 4 ✓ Verify after download Operation duration 00:00:00 Chgose	
Operation duration 00:00:00 Chgose 5 Upgrade Verify File correctly loaded. Abort Quit DfuSe Demo (v3.0.6) - - wailable DFU Devices Application Mode: DFU Mode: Supports Upload Manifestation tolerant Supports Download Accelerated Upload (ST) Can Detach Leave DFU mode Version: DFU Second Select I DfuSeDemo Version: 0200 Vour device was plugged in DFU mode. So it is impossible to make sure this file is correct for this device. Continue however ? Upload File: 6 Etc) Etc) Transferred data size Version: 0200 Chegose Upgrade 0kB(0 Bytes) of 0 KB(0 Bytes) Optimize Upgrade duration (Remove some FFs) Optimize Upgrade duration (Remove some FFs) Optimize Upgrade duration (Remove some FFs) 0ptraction duration 00:00:00 Chegose Upgrade Verify	Operation duration 00:00:00 Chgose	
D0:00:00 Chgose 5 Upgrade Verify File correctly loaded. Abort Quit DfuSe Demo (v3.0.6) - - wailable DFU Devices Application Mode: DFU Mode: Vendor ID: Supports Upload Manifestation tolerant Application Mode: DFU Mode: Supports Download Accelerated Upload (ST) Procuet ID: Procuet ID: Procuet ID: Can Detach Leave DFU mode Version: 0200 Otto Otto Select I DfuSeDemo File Office File Manifestation IDFU mode. So it is impossible to make sure this file is correct for this device. Continue however ? Upload File G Etch Etch File Transferred data size Version: 1200 OtkB(0 Bytes) of 0 KB(0 Bytes) Optimize Upgrade duration (Remove some FFs) Operation duration Optimize Upgrade duration (Remove some FFs) Optimize Upgrade duration (Remove some FFs) Deration duration Optimize Upgrade duration (Remove some FFs) File correctly loaded.	OD:00:00 Chgose	-
File correctly loaded. Application Quit DfuSe Demo (v3.0.6) - walable DFU Devices Application Mode: Vendor ID: Supports Upload Manifestation tolerant Vendor ID: Vendor ID: Supports Download Accelerated Upload (ST) Procuet ID: Procuet ID: Procuet ID: Can Detach Leave DFU mode Version: 0200 Enter DFU mode/HID detach Leave DFU mode Version: 0200 Continue however ? OffuseDemo Monifestation tolerant Monifestation So it is impossible to make sure this file is correct for this device. Continue however ? Monifestation Upload 6 Etc) Etc) Etc) Transferred data size Version: 0200 Version: 0200 Version: 0200 Version: 0200 Etc) Etc) OKB(0 Bytes) of 0 KB(0 Bytes) Version: 0200 Verify after download Optimize Upgrade duration (Remove some FFs) Operation duration 00:00:00 Chgose Upgrade Verify	File correctly loaded. Abort Que DfuSe Demo (v3.0.6) - wailable DFU Devices Application Mode: OFU Mode: Supports Upload Manifestation tolerant Vendor ID: Vendor ID: Supports Download Accelerated Upload (ST) Procuct ID: Procuct ID: Procuct ID: Can Detach Leave DFU mode Version: 02 Version: 02 Select I DfuSeDemo So it is impossible to make sure this file is correct for this device. Continue however ? I Upload File: 6 Error File Version: 0200 Version: 0200 Verify after download Verify after download Verify after download File Verify after download File Verify after download	
Abort Quit DfuSe Demo (v3.0.6) - wailable DFU Devices Application Mode: Vendor ID: Supports Upload Annifestation tolerant Vendor ID: Supports Download Accelerated Upload (ST) Procuet ID: Can Detach Leave DFU mode Version: 0200 Enter DFU mode/HID detach Leave DFU mode Version: 0200 Select I DfuSeDemo Monifestation tolerant None Select I DfuSeDemo Vour device was plugged in DFU mode. So it is impossible to make sure this file is correct for this device. Continue however ? Upload File: 6 Etc) Etc) Etc) Transferred data size Version: 0200 Verify after download Optimize Upgrade duration (Remove some FFs) Operation duration 00:00:00 Chgose Upgrade Verify	Abort Que DfuSe Demo (v3.0.6) — wailable DFU Devices Application Mode: DFU Mode: Supports Upload Manifestation tolerant Vendor ID: Vendor ID: Supports Upload Accelerated Upload (ST) Procuct ID: Version: DFU Mode: Can Detach Leave DFU mode Version: D2 Enter DFU mode/HID detach Leave DFU mode Version: D2 Select I DfuSeDemo X Procuct for this device. Continue however ? Your device was plugged in DFU mode. So it is impossible to make sure this file is correct for this device. Upload File: 6 E(M) E(M) Transferred data size Version: 0200 Version (D2) 0 KB(0 Bytes) of 0 KB(0 Bytes) Version: 0200 Continue howene	
DfuSe Demo (v3.0.6) — wailable DFU Devices Application Mode: DFU Mode: Supports Upload Manifestation tolerant Vendor ID: Vendor ID: Supports Download Accelerated Upload (ST) Procuet ID: Procuet ID: DFU Mode: Can Detach Leave DFU mode Version: 0200 Occol Occol Occol Enter DFU mode/HID detach Leave DFU mode Supports Download So it is impossible to make sure this file is correct for this device. Continue however ? Upload File: 6 E(Y) E(M) Transferred data size Version: 0200 OkB(0 Bytes) Optimize Upgrade duration (Remove some FFs) Operation duration 00:00:00 Chgose Upgrade Verify	DfuSe Demo (v3.0.6) Application Mode: Variable DFU Devices STM Device in DFU Mode Supports Upload Manifestation tolerant Supports Download Accelerated Upload (ST) Can Detach Enter DFU mode/HID detach Leave DFU mode Version: DfuSeDemo Your device was plugged in DFU mode. So it is impossible to make sure this file is correct for this device. Continue however ? Upload File: 0 KB(0 Bytes) of 0 KB(0 Bytes) Version: 0 Version in Continue how plugged in OFU mode	tiu
DfuSe Demo (v3.0.6) — wailable DFU Devices Manifestation tolerant Supports Upload Manifestation tolerant Supports Download Accelerated Upload (ST) Can Detach Leave DFU mode Enter DFU mode/HID detach Leave DFU mode Solutions Solution tolerant Select I Image: Solution tolerant DfuSeDemo Manifestation tolerant Version: D200 Continue however ? Vour device was plugged in DFU mode. So it is impossible to make sure this file is correct for this device. Continue however ? Upload File: 6 Version: D200 Versig after download Dptimize Upgrade durati	DfuSe Demo (v3.0.6) — wailable DFU Devices STM Device in DFU Mode Application Mode: Urendor ID: Supports Upload Manifestation tolerant Supports Download Accelerated Upload (ST) Procuct ID: Urendor ID: Ure	
Control induction betaching betach	Control in decime decided Levine bit of indecime decided Actions Select I DfuSeDemo Image: Solid is impossible to make sure this file is correct for this device. Continue however ? Upload File: 0 KB(0 Bytes) of 0 KB(0 Bytes) Version: 0 KB(0 Bytes) of 0 KB(0 Bytes)	83 -11 00
Select I DfuSeDemo Your device was plugged in DFU mode. So it is impossible to make sure this file is correct for this device. Continue however ? Upload File: 0 KB(0 Bytes) of 0 KB(0 Bytes) 0 kB(0 Bytes) of 0 KB(0 Bytes) 0 peration duration 0 0:00:00 Chgose Upgrade Verify File correctly loaded.	Select I DfuSeDemo X I OfuSeDemo X I OfuSeDemo X I OfuseDemo X I OfuseDemo X I Other I OfuseDemo X I Other I OfuseDemo I Ofus	
OfuSeDemo X mon ? Your device was plugged in DFU mode. So it is impossible to make sure this file is correct for this device. Upload Continue however ? Image: File: 6 E(M) Transferred data size Version: 0200 0 KB(0 Bytes) of 0 KB(0 Bytes) Image: Version: 0200 Operation duration Optimize Upgrade duration (Remove some FFs) 00:00:00 Chgose Upgrade File correctly loaded.	DfuSeDemo × I ? Your device was plugged in DFU mode. So it is impossible to make sure this file is correct for this device. Continue however ? Continue however ? Upload File: 6 File: 0 Version: 0200 0 KB(0 Bytes) of 0 KB(0 Bytes) ✓ Version: 0 Verify after download O KB(0 Bytes) of 0 KB(0 Bytes)	
Your device was plugged in DFU mode So it is impossible to make sure this file is correct for this device. Continue however ? Upload File: 0 E(M) Transferred data size 0 KB(0 Bytes) of 0 KB(0 Bytes) Operation duration 00:00:00 Chgose Upgrade Verify	Your device was plugged in DFU mode. So it is impossible to make sure this file is correct for this device. Continue however ? Upload File: 6 是(Y) Transferred data size Version: 0 KB(0 Bytes) of 0 KB(0 Bytes)	
Continue however ? Upload File: 6 定の<	Continue however ? Upload File: 6 是(7) 斉(1) Transferred data size Version: 0200 0 KB(0 Bytes) of 0 KB(0 Bytes)	more
Upload File: 6	Upload File: 6 是の 香心 Transferred data size 0 KB(0 Bytes) of 0 KB(0 Bytes) Version: 0200 0 Versiy after download	more
File: 6 重(N) Transferred data size Version: 0200 0 KB(0 Bytes) of 0 KB(0 Bytes) Image: Constraint of the co	File: 6 是(Y) 香(N) Transferred data size Version: 0200 0 KB(0 Bytes) ☑ Verify after download	more)
またの を で たため を の に の に の に の に の に の に の に の に の に の		more)
Transferred data size Version: 0200 0 KB(0 Bytes) of 0 KB(0 Bytes) 0 peration duration 0 0:00:00 Chgose Upgrade Version Upgrade Version Ver	Transferred data size Version: 0200 0 KB(0 Bytes) Verify after download	more]
I ransterred data size Version: 0200 0 KB(0 Bytes) of 0 KB(0 Bytes) ✓ Version: 0200 Operation duration Optimize Upgrade duration (Remove some FFs) 00:00:00 Chgose Upgrade File correctly loaded.	I ransterred data size Version: 0200 0 KB(0 Bytes) of 0 KB(0 Bytes) ☑ Verify after download	more
0 KB(0 Bytes) Image: Constraint of the system 0 Operation duration Image: Optimize Upgrade duration (Remove some FFs) 00:00:00 Image: Chgose Upgrade File correctly loaded.	0 KB(0 Bytes) Of 0 KB(0 Bytes)	morej
Operation duration 00:00:00		more)
00:00:00 Choose Upgrade Verify	Deration duration	more
File correctly loaded.	00:00:00 Chgose Upgrade Veri	morej
File correctly loaded.		fy
	File correctly loaded.	fy

5. The interface for completion of upgrade is as follows. Click "Leave DFU mode" and the program will jump to User App.

I M Device in Di	U Mode	~	App	olication Mode:	DFU Mode	
Supports Uplo Supports Dow Can Detach	ad nload	Manifestation tolerant Accelerated Upload (ST) Proc	cuct ID:	Procuct ID:	DF11
Enter <u>D</u> FU mode	'HID detach	Leave DFU mode				0200
Actions						
Select <u>T</u> arget(s):	Target Id	Name		Available Secto	ors (Double Click	for more)
	00	Internal Flash		512 sectors		
Upload Action		Upgrade or	Verify A	iction	1	
Upload Action File: <u>C</u> hoose		Upgrade or File: Vendor ID: pload Procuct ID:	Verify A WS8I 0483 DF11	Lction 0_Ver_1_1_0.dfu Targets in 00 S	ı ı file: iT	
Upload Action File: Choose. Transferred data 34 KB(35508 Byl Bytes)	. <u>U</u> size es) of 34 KB(Upgrade or File: Vendor ID: Procuct ID: Version: 35508	Verify A WS8 0483 DF11 0200 Ifter dow	nction 0_Ver_1_1_0.dfu Targets in 00 S	i file: T	